

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.U. BOL 450 Alexandria, Virginia 22313-1450

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/803,950	03/13/2001	Satoshi Banno	Q63572	9028
7590 10/19/2005		EXAMINER		
SUGHRUE, MION, ZINN			CHUONG, TRUC T	
MACPEAK & SEAS 2100 Pennsylvania Avenue, N.W.			ART UNIT	PAPER NUMBER
Washington, DC 20037			2179	
			DATE MAILED: 10/19/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)					
Office Action Summary		09/803,950	BANNO, SATOSHI					
		Examiner	Art Unit					
		Truc T. Chuong	2179					
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
WHIC - Exter after - If NO - Failu Any r	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DATE in any be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. Period for reply is specified above, the maximum statutory period we to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).					
Status								
1)⊠	Responsive to communication(s) filed on 26 Ju	dv 2005						
	This action is FINAL . 2b) ☐ This action is non-final.							
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
/	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Dispositi	on of Claims							
4)⊠ Claim(s) <u>1-5 and 8-14</u> is/are pending in the application.								
-	4a) Of the above claim(s) is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.								
6)⊠ Claim(s) <u>1-5, and 8-14</u> is/are rejected.								
7)	7) Claim(s) is/are objected to.							
8)□	8) Claim(s) are subject to restriction and/or election requirement.							
Applicati	on Papers							
9) 🗌 .	The specification is objected to by the Examiner	r.						
10) 🔲	The drawing(s) filed on is/are: a) acce	epted or b) \square objected to by the E	Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).								
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).								
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.								
Priority u	ınder 35 U.S.C. § 119	·	·					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage 								
application from the International Bureau (PCT Rule 17.2(a)).								
* See the attached detailed Office action for a list of the certified copies not received.								
Attachment	t(s)							
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)								
3) 🔲 Inforn	e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date	Paper No(s)/Mail Da						

DETAILED ACTION

This communication is responsive to the communication filed 07/26/05.

Claims 1-5, and 8-14 are pending in this application. Claims 1-5, and 11-14 are independent claims. This action is made final.

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1-5, and 8-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Murray (U.S. Patent No. 6,392,668 B1) in view of Sall (U.S. Patent No. 6,859,219 B1).

As to claims 1 and 11, Murray teaches an information terminal device comprising:
a receiving means for receiving information via a network (receiving information such as
Web pages from a Network, e.g., col. 3 lines 38-58, col. 4 lines 1-10, and figs. 3-4);

plural, separate display means for displaying the information received by the receiving means {Murray teaches the ability of displaying more than one Web pages/links/icons on a Web Browser (e.g., col. 4 lines 1-5, col. 5 lines 23-35) means a plurality of display (Web pages) can be displayed on one screen; in the Specification, the Applicant clearly points out that there are two separate displays on a single monitor (Specification, a portable information terminal device

with two separate displays, page 15 lines 2-5, page 9 lines 2-3, page 11 line 22, and fig. 3) or only two portions nearby on the display (such as two Web pages/Applications/Programs/Images) on a single screen display (a Web Browser on a single monitor); and amended claims only amend to show "separate display means" which still does not clearly define that there are two separate physical monitors/displays; therefore, the web browser of Murray still reads on the amended claim language);

a memory means for storing predetermined identification codes (e.g., col. 4 lines 10-28, using memory portion 260 in which the identifiers provided by provider 140, col. 6 lines 27-40. and col. 8 lines 17-32);

a detecting means for detecting whether or not the information received by the receiving means includes the identification codes stored in the memory means ("Each identifier corresponds to a participating provider. In the user's local processing system, the network code is then parsed and any occurrence in the network code of any identifier stored in the list of identifiers is detected. For each detected identifier, a marker code is then inserted into the network code, the marker code indicating to the user the presence in the network code of each detected identifier", sic, Summary, and col. 10 lines 20-32); and

a display control means for displaying the information on selected ones of said plural, separate display means on the basis of the detection result of the identification codes of the detecting means (insert appropriate markers into view pages or different Web pages, e.g., col. 7 lines 1-5, col. 8 lines 33-67, col. 10 lines 20-57, and figs. 3-4);

however, Murray does not clearly teach that the terminal device is a portable terminal device having more than one physical displays. Sall clearly teaches multiple display screens of a

laptop computer to provide more information to the user (e.g., col. 1 lines 50-61, and figs. 1, 4A-5B). It is well known and would have been obvious to a person of ordinary skill in the art at the time of the invention to have the portable terminal with multiple display devices of Sall in the Personal Computer of Murray to increase in the size of the display area in order to provide more information to the user (Sall, e.g., col. 1 lines 25-28 and col. 4 lines 47-50).

As to claim 2, Murray in view of Sall teaches a portable information terminal device comprising:

a receiving means for receiving information via a network (Internet, e.g., col. 3 lines 1-3); plural, separate display means for displaying the information received by the receiving means (e.g., col. 4 lines 1-5, col. 5 lines 23-35); a memory means for storing predetermined identification codes (e.g., col. 4 lines 10-28, using memory portion 260 in which the identifiers provided by provider 140, col. 6 lines 27-40, and col. 8 lines 17-32); a detecting means for detecting whether or not the information received by the receiving means includes the identification codes stored in the memory means; and a display control means for displaying the information on selected ones of said plural display means on the basis of the detection result of the identification codes of the detecting means ("Each identifier corresponds to a participating provider. In the user's local processing system, the network code is then parsed and any occurrence in the network code of any identifier stored in the list of identifiers is detected. For each detected identifier, a marker code is then inserted into the network code, the marker code indicating to the user the presence in the network code of each detected identifier", sic, Summary, and col. 10 lines 20-32),

said detecting means detects predetermined first and second identification codes and the control means selects any of the display means to display the information sandwiched between the first and second identification codes (insert appropriate markers into view pages or different Web pages/links, e.g., col. 7 lines 1-5, col. 8 lines 33-67, col. 10 lines 20-57, and figs. 3-4).

As to claim 3, Murray in view of Sall teaches a portable information terminal device comprising:

a receiving means for receiving information via a network (Internet, e.g., col. 3 lines 1-3); a memory means for storing predetermined identification codes (e.g., col. 4 lines 1-5, col. 5 lines 23-35); a detecting means for detecting whether or not the information received by the receiving means includes the identification codes stored in the memory means ("Each identifier corresponds to a participating provider. In the user's local processing system, the network code is then parsed and any occurrence in the network code of any identifier stored in the list of identifiers is detected. For each detected identifier, a marker code is then inserted into the network code, the marker code indicating to the user the presence in the network code of each detected identifier", sic, Summary, and col. 10 lines 20-32);

an extracting means for extracting address data linked to different information from the received information on the basis of the detection result of the identification codes of the detecting means (insert appropriate markers into view pages or different Web pages/links after comparing the list of identifiers with the retrieved text of the specific web site, e.g., col. 8 lines 33-67, col. 10 lines 20-57, and figs. 3-4); and

an obtaining means for obtaining the different information linked to the address data extracted by the extracting means (e.g., col. 7 lines 1-5, col. 8 lines 33-67, col. 10 lines 20-57, and figs. 3-4).

As to claim 4, Murray in view of Sall teaches portable information terminal device comprising:

a receiving means for receiving information via a network (Internet, e.g., col. 3 lines 1-3); plural, separate display means for displaying the information received by the receiving means (e.g., col. 4 lines 1-5, col. 5 lines 23-35); a memory means for storing predetermined identification codes (e.g., col. 4 lines 10-28, using memory portion 260 in which the identifiers provided by provider 140, col. 6 lines 27-40, and col. 8 lines 17-32); a detecting means for detecting whether or not the information received by the receiving means includes the identification codes stored in the memory means ("Each identifier corresponds to a participating provider. In the user's local processing system, the network code is then parsed and any occurrence in the network code of any identifier stored in the list of identifiers is detected. For each detected identifier, a marker code is then inserted into the network code, the marker code indicating to the user the presence in the network code of each detected identifier", sic, Summary, and col. 10 lines 20-32);

an extracting means for extracting address data linked to different information from the received information on the basis of the detection result of the identification codes of the detecting means (insert appropriate markers into view pages or different Web pages/links after comparing the list of identifiers with the retrieved text of the specific web site, e.g., col. 8 lines 33-67, col. 10 lines 20-57, and figs. 3-4);

Page 7

Art Unit: 2179

a display control means for permitting the display means to display icons corresponding to the address data extracted by the extracting means (icons and other display features, e.g., col. 9 lines 33-65, and figs. 3-4);

an accepting means for accepting a selection of the icons displayed on the display means (using links as identifiers is that the user can then, using conventional browsers, "click on" them, that is, select a link using the cursor-control device 116, whereupon the browser will automatically access the site corresponding to the selected link, sic, col. 8 lines 17-24, and figs. 3-4); and

an obtaining means for obtaining the different information linked to the address data corresponding to the icons when the accepting means accepts the selection of the icons (selecting, e.g., col. 8 lines 17-24, col. 9 line 33-65, and figs. 3-4).

As to claim 5, Murray in view of Sall teaches a portable information terminal device comprising:

a receiving means for receiving information via a network (Internet, e.g., col. 3 lines 1-3); plural, separate display means for displaying the information received by the receiving means (e.g., col. 4 lines 1-5, col. 5 lines 23-35); a memory means for storing predetermined identification codes (e.g., col. 4 lines 10-28, using memory portion 260 in which the identifiers provided by provider 140, col. 6 lines 27-40, and col. 8 lines 17-32); a first detecting means for detecting whether or not the information received by the receiving means includes the identification codes stored in the memory means ("Each identifier corresponds to a participating provider. In the user's local processing system, the <u>network</u> code is then parsed and any occurrence in the <u>network</u> code of any identifier stored in the list of identifiers is <u>detected</u>. For

each detected identifier, a marker code is then inserted into the network code, the marker code indicating to the user the presence in the network code of each detected identifier", sic, Summary, and col. 10 lines 20-32); an extracting means for extracting address data linked to different information from the received information on the basis of the detection result of the identification codes of the first detecting means (insert appropriate markers into view pages or different Web pages/links after comparing the list of identifiers with the retrieved text of the specific web site, e.g., col. 8 lines 33-67, col. 10 lines 20-57, and figs. 3-4); a first display control means for displaying icons on selected ones of said plural, separate display means corresponding to the address data extracted by the extracting means; an accepting means for accepting a selection of the icons displayed on the display means (using links as identifiers is that the user can then, using conventional browsers, "click on" them, that is, select a link using the cursorcontrol device 116, whereupon the browser will automatically access the site corresponding to the selected link, sic, col. 8 lines 17-24, and figs. 3-4); an obtaining means for obtaining the different information linked to the address data corresponding to the icons when the accepting means accepts the selection of the icons (selecting, e.g., col. 8 lines 17-24, col. 9 line 33-65, and figs. 3-4);

a second detecting means for detecting whether or not the different information obtained by the obtaining means includes the identification codes stored in the memory means (a different search topic will contain a different marker/icon/ad corresponding to the new search topic, and so on... See above for similar rejection); and

a second display control means for permitting any of the display means to display the different information on selected ones of said plural, separate display means on the basis of the detection result of the identification codes of the second detecting means (using more than one Web pages to view/search/navigate on different topics, see above for similar rejection).

As to claims 8-10, Murray in view of Sall teaches the portable information terminal device claimed in claim 3, wherein the address data extracted by the extracting means is sandwiched between predetermined first and second identification codes (insert appropriate markers into view pages or different Web pages/links after comparing the list of identifiers with the retrieved text of the specific web site, e.g., col. 8 lines 33-67, col. 10 lines 20-57, and figs. 3-4).

As to claims 12-13, this is a combination of claims 1 and 3. Note the rejections of claims 1 and 3 above.

As to claim 14, this is a combination of claims 3 and 5. Note the rejections of claims 3 and 5 above.

Response to Arguments

3. Applicant's arguments filed 07/28/05 have been fully considered but they are not persuasive.

Applicants argued and Examiner disagrees with the followings:

Applicants disagree with the Examiner in view of the interpretation of the "separate display means."

During patent examination, the pending claims must be "given >their
broadest reasonable interpretation consistent with the specification." > In re Hyatt,
211 F.3d 1367, 1372, 54 USPQ2d 1664, 1667 (Fed. Cir. 2000). Although the
claims are interpreted in light of the specification, limitations from the

specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

Applicant always has the opportunity to amend the claims during prosecution, and broad interpretation by the examiner reduces the possibility that the claim, once issued, will be interpreted more broadly than is justified. In re Prater, 415 F.2d 1393, 1404-05, 162 USPQ 541, 550-51 (CCPA 1969).

In this case, the claim recites "a portable information terminal device" with "two separate displays". Murray teaches this limitation because "separate display means" which still does not clearly define that there are two separate physical monitors/displays. Specification, page 15 lines 2-5, page 9 lines 2-3. page 11 line 22, and fig. 3, only shows a portable information terminal device with two separate displays (could be interpreted as two displays screens on one monitor) but NOT two physical displays monitors as claimed and argued by the Applicants. Moreover, there is nowhere in the specification distinguish in details the difference between the portable information terminal device of the prior art with the Applicants' portable information terminal device in term of "separate two physical displays monitors"; therefore, the web browser of Murray with displaying more than one Web pages/links/icons on a Web Browser (e.g., col. 4 lines 1-5, col. 5 lines 23-35) meaning of viewing a plurality of displays (Web pages/sites) displayed on a single screen still reads on the claim language. And furthermore, if Murray does not clearly teach that the terminal device is a portable terminal device having more than one physical displays as claimed by the

Application/Control Number: 09/803,950 Page 11

Art Unit: 2179

Applicants. Sall clearly teaches multiple display screens of a laptop computer to provide more information to the user (e.g., col. 1 lines 50-61, and figs. 1, 4A-5B). It is well known and would have been obvious to a person of ordinary skill in the art at the time of the invention to have the portable terminal with multiple display devices of Sall in the Personal Computer of Murray to increase in the size of the display area in order to provide more information to the user (Sall, e.g., col. 1 lines 25-28 and col. 4 lines 47-50).

Conclusion

4. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Truc T. Chuong whose telephone number is 571-272-4134. The examiner can normally be reached on M-Th and alternate Fridays 8:30 AM - 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Weilun Lo can be reached on (571) 272-4847. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Truc T. Chuong

10/15/05

RIMARY